



LINEAR MINERALS INTERSECTS THREE SPODUMENE PEGMATITES WITH OVER 1% LITHIUM OXIDE

Vancouver, B.C. (**February 11, 2025**) – Linear Minerals Corp. ("formerly FE Battery Metals Corp" (CSE: LINE) (OTCQB: FEMFF) (WKN:A2J C89) ("Linear" or the "Company") is pleased to announce results of Drill Holes LC24-90 from 2024 exploratory drill program at its Augustus Lithium Property in Quebec, Canada. *The drill hole LC24-90 intersected three spodumene bearing lithium pegmatites of variable widths with grade over 1 percent (%) lithium oxide (Li₂O). There are anomalous values of other rare metals such as beryllium (Be), cesium (Cs), niobium (Nb), tantalum (Ta) and rubidium* (see Tables 1 for details).

Highlights

- The top, Number 1 Pegmatite, intersected 1.07% Li₂O over 5.50 metres at a drilled depth of 66.2 m, with anomalous values of 228 ppm Be, 159 ppm Cs, 59 ppm Ga, 735 ppm Rb, 66 ppm Nb, and 118 ppm Ta.
- The middle, Number 2 Pegmatite, intersected 1.00% Li₂O over 5.30 metres at a drilled depth of 85.8 m, with 230 ppm Be, 165 ppm Cs, 66 ppm Ga, 78 ppm Nb, 1208 ppm Rb, and 117 ppm Ta.
- The bottom, Number 3 Pegmatite, intersected 1.05% Li₂O over 3.50 metres at a drilled depth of 98.0 m, with 255 ppm Be, 49 ppm Cs, 49 ppm Ga, 78 ppm Nb, 693 ppm Rb, and 104 ppm Ta.
- A separate intercept of elevated nickel values (averaging 1906 ppm Ni) was identified over 3.0 metres at a drilled depth of 81.8 m.

Drill hole LC23-90 was drilled at location 5367814.992N, 287204.687E, UTM NAD 1983 Zone 18N, at azimuth 215 degrees and dip -75 with a drilled depth of 131 m. The drill hole was placed at the main Augustus zone.

The drill program was designed based on historical and current exploration data. Drilling was conducted by Forage Pelletier Drilling of Chapais, Quebec, and core logging and sampling took place at a core shack in St-Dominique du Rosaire, approximately 50 km from the property. The 2024 drill program included 11

drill holes, totaling 1,558 metres. To date, a total of 100 drill holes have been completed on the property, with a cumulative diamond drilling of 18,165.64 metres.

Drill core was sampled using a rock saw. For quality control and assurance (QA/QC), field duplicates, standards, and blanks were inserted at industry-standard intervals. Samples were bagged and tagged using best practices before being delivered to AGAT Laboratories in Val-d'Or, QC, for analysis. AGAT performed Sodium Peroxide Fusion with ICP-OES and ICP-MS Finish (Code 201-378). AGAT is an independent, accredited laboratory with ISO certification for certain tests.

Afzaal Pirzada, P.Geo., Geological Consultant of the Company, and a "Qualified Person" for the purposes of National Instrument 43-101 - *Standards of Disclosure for Mineral Projects*, has reviewed and approved the scientific and technical information contained in this news release.

About the Augustus Lithium Property

The Company owns 100% interest in the Augustus Property located in Landrienne & Lacorne-Townships, Quebec, Canada. The Property covers a total area of over 15,000 hectares approximately 40 kilometres northwest of the town of Val d'Or. To date, a total of 100 diamond drill holes have been completed on the property totaling 18,165.64 metres.

ON BEHALF OF THE BOARD OF

Linear Minerals Corp.

"Gurminder Sangha"

Gurminder Sangha
CEO & Director

For further information, please contact the Company at: info@febatterymetals.com

Neither the Canadian Securities Exchange (CSE) nor its Regulation Services Provider accepts responsibility for the adequacy or accuracy of this news release and has neither approved nor disapproved the contents of this news release.

Forward-looking Information

Except for the statements of historical fact, this news release contains "forward-looking information" within the meaning of the applicable Canadian securities legislation that is based on expectations, estimates and projections as at the date of this news release. "Forward-looking information" in this news release includes information about the Company's information concerning the intentions, plans and future actions of the parties to the transactions described herein and the terms thereon.

The forward-looking information in this news release reflects the current expectations, assumptions and/or beliefs of the Company based on information currently available to the Company. In connection with the forward-looking information contained in this news release, the Company has made assumptions about the Company's ability to obtain required approvals. The Company has also assumed that no significant events occur outside of the Company's normal course of business. Although the Company believes that the assumptions inherent in the forward-looking information are reasonable, forward-looking information is not a guarantee of future performance and accordingly undue reliance should not be put on such information due to the inherent uncertainty therein.

Table 1: Drill Hole LC24-90 Sample assays highlights

Lab Sample Id	Field Sample ID	Depth	Depth	Total	Analyte: Unit: RDL:	Li	Li2O	Be	Bi	Co	Cs	Fe	Ga	Nb	Ni	Rb	Ta
		FROM m	TO m	Width m		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
					COMMENTS	10		20	0.1	1	0.1	0.01	0.5	5	10	2	0.5
6340909	1159339	63.2	64.2	1.00	Green Sc	433.00	0.09	<20	1	82	189	7.61	14.4	7	801	375	<0.5
6340911	1159341	64.2	65.2	1.00	Country rock	829.00	0.18	<20	2	32	193	5.22	25.5	13	82	1010	5.8
6340912	1159342	65.2	66.2	1.00	Country rock	1480.00	0.32	<20	1	33	107	5.49	20	10	83	426	<0.5
6340913	1159343	66.2	67	0.80	SPD	5560.00	1.20	193	313	<1	35.5	0.52	64.8	80	<10	216	181
6340914	1159344	67	68	1.00	SPD	6830.00	1.47	377	686	<1	39.2	0.47	69	77	<10	343	102
6340915	1159345	68.00	69.00	1.00	SPD	7590.00	1.63	252	4.6	<1	38.1	0.48	65.9	78	<10	222	129
6340916	1159346	69.00	70.00	1.00	SPD	6600.00	1.42	358	7.1	<1	44.5	0.45	68.5	85	<10	639	157
6340917	1159347	70.00	70.7	0.70	SPD	832.00	0.18	162	14.1	<1	21.5	0.42	52.7	59	16	87	120
6340918	1159348	70.7	71.7	1.00	Schist	2540.00	0.55	23	5.9	36	778	4.12	32.1	18	352	2900	16
Number 1 Pegmatite		66.2	71.7	5.50		4992.00	1.07	228	172	36	159	1	59	66	184	735	118
6340919	1159349	71.7	72.7	1.00	Schist	1260.00	0.27	20	1	65	1380	4.26	33.3	9	1100	6440	<0.5
6340921	1159351	72.70	73.70	1.00	Schist	99.00	0.02	<20	5.8	90	105	5.36	8.4	11	1580	389	<0.5
6340922	1159352	81.8	82.8	1.00	Meta Basalt	20.00	0.00	<20	9	112	17.4	5.35	6.9	10	2010	8	<0.5
6340923	1159353	82.8	83.8	1.00	Meta Basalt	24.00	0.01	<20	8.2	102	22	5.33	8.7	8	2070	13	<0.5
6340924	1159354	83.8	84.8	1.00	Meta Basalt	1060.00	0.23	436	809	79	770	4.46	38.8	24	1640	3280	26.1
6340925	1159355	84.8	85.8	1.00	SPD	3980.00	0.86	301	70.1	1	55.9	0.45	64.7	64	15	297	145
6340926	1159356	85.8	86.8	1.00	SPD	2980.00	0.64	255	49.8	25	677	1.54	68	44	368	3570	85.8
6340927	1159357	86.8	87.8	1.00	SPD	4960.00	1.07	273	19.4	3	143	0.78	66.6	78	31	1040	161
6340928	1159358	87.8	88.8	1.00	SPD	3910.00	0.84	232	4	<1	41.4	0.37	62.2	85	<10	389	122
6340929	1159359	88.8	89.8	1.00	SPD	4520.00	0.97	207	26.2	<1	47.9	0.37	67.7	94	<10	749	137
6340931	1159361	89.8	90.8	1.00	SPD	4840.00	1.04	201	38.9	<1	35.6	0.39	67.5	81	<10	418	109
6340932	1159362	90.8	91.8	1.00	SPD	6610.00	1.42	209	185	<1	45.9	0.53	62.8	83	<10	1080	85.3
Number 2 Pegmatite		85.8	91.1	5.30		4636.67	1.00	230	54	14	165	1	66	78	200	1208	117
6340933	1159363	91.8	92.55	0.75	SPD	849.00	0.18	132	>1000	4	102	1	73.5	71	11	694	82.3
6340934	1159364	92.55	93.50	0.95	Country rock	1730.00	0.37	80	9.4	42	396	6.18	25.3	22	79	1340	17.6
6340935	1159365	93.50	94.50	1.00	Country rock	953.00	0.20	<20	0.6	29	17.4	5.46	21	10	98	67	<0.5
6340936	1159366	94.50	95.50	1.00	Country rock	875.00	0.19	<20	0.5	31	145	5.16	19.7	9	111	497	<0.5
6340937	1159367	95.50	96.10	0.60	Country rock	1050.00	0.23	<20	0.3	26	6.8	4.45	20.2	10	86	55	<0.5
6340938	1159368	96.10	97.10	1.00	Country rock	1900.00	0.41	<20	3.3	30	230	6.51	26.6	14	91	1080	14.7
6340939	1159369	97.10	98.00	0.90	SPD	91.00	0.02	29	0.3	<1	5.3	0.32	12.9	23	<10	55	18.5
6340941	1159371	98.00	99.10	1.10	SPD	7250.00	1.56	218	62.4	<1	57.7	0.66	69.4	91	<10	871	132
6340942	1159372	99.10	99.50	0.40	SPD	523.00	0.11	134	0.2	<1	10.6	0.38	4.2	15	<10	56	5.2
6340943	1159373	99.50	100.50	1.00	SPD	3850.00	0.83	479	8.9	<1	59.9	0.54	65.5	100	18	674	141
6340944	1159374	100.50	101.50	1.00	SPD	7830.00	1.68	188	22	<1	67.1	0.63	58.8	82	<10	1170	138
Number 3 Pegmatite		98	101.5	3.50		4863.25	1.05	255	23	<1	49	1	49	72	18	693	104
6340945	1159375	101.50	102.50	1.00	SPD	2700.00	0.58	180	4.1	<1	26.9	0.6	35.6	70	<10	206	117
6340946	1159376	102.50	103.50	1.00	SPD	268.00	0.06	176	1.1	<1	25.5	0.46	52.1	72	<10	285	95.2
6340947	1159377	103.50	104.50	1.00	Country rock	650.00	0.14	<20	0.7	15	31.2	2.62	25.9	14	92	329	16.6
6340948	1159378	104.50	105.50	1.00	Country rock	882.00	0.19	<20	0.9	20	12.8	3.15	20.4	10	136	57	<0.5
6340949	1159379	105.50	106.50	1.00	Country rock	2030.00	0.44	27	3.9	38	391	5.08	24.3	12	214	1310	2.5
6340951	1159381	106.50	107.00	0.50	Country rock	3870.00	0.83	84	9.3	44	1210	5.71	43.3	25	269	4810	11.1
6340952	1159382	107.00	108.00	1.00	SPD	2970.00	0.64	150	11.4	2	139	0.77	66	84	22	1770	104
6340953	1159383	108.00	109.00	1.00	SPD	2560.00	0.55	189	58.8	<1	100	0.57	66.5	97	<10	1670	150
6340954	1159384	109.00	110.00	1.00	SPD	2560.00	0.55	225	275	<1	82.8	0.68	63.4	82	<10	1490	95.8
6340955	1159385	110.00	111.00	1.00	SPD	230.00	0.05	283	37.4	<1	19.8	0.52	57.1	102	<10	360	71.9
6340956	1159386	111.00	112.00	1.00	SPD	442.00	0.10	504	15.5	<1	37.2	0.82	55	83	<10	671	50.9
6340957	1159387	112.00	113.00	1.00	SPD	3080.00	0.66	88	177	<1	28.3	0.67	55.6	204	<10	887	77.4
6340958	1159388	113.00	113.60	0.60	SPD	346.00	0.07	78	4.5	2	36.9	0.9	89.7	65	<10	649	69.6
6340959	1159389	113.60	114.60	1.00	Country rock	2030.00	0.44	28	2.2	38	119	5.47	24	9	116	608	0.6
6340961	1159391	114.60	115.60	1.00	Country rock	938.00	0.20	<20	1.3	41	9.6	6.07	16.1	6	130	75	<0.5
6340962	1159392	115.60	116.60	1.00	Country rock	639.00	0.14	<20	1	42	7.7	6.2	15.6	6	120	50	<0.5

Note: A standard conversion factor of 2.15 was used to report Li to Li₂O values
All intersections reported are based on drilled width and have not been converted to the true width.
SPD – Spodumene Pegmatites